

INTERDOOR


SPECIALIST INDUSTRIAL DOORS



NOVOSPRINT

High-Speed Door

Lateral Opening Opening



The NOVOSPRINT advantages compared to vertical opening.

Opening time is twice as fast due to the lateral opening of the door halves and in contrast to vertically opening doors, the complete opening height is immediately accessible for the user.

Transparent panels at eye-level maintain vision between one area and the next. Once the door begins to open, vision is extended to the entire door height, enabling quick and safe passage of goods.

The risk of collision is reduced, preventing interruption of work as well as expensive door repairs.



Innovative technology and robust materials increase the stability, durability and economic efficiency of the door system.



In case of power failure the door can be opened quickly by means of emergency operation. Automatic opening and escape route approval are optional.

Short opening and closing cycles reduce draughts and heat exchange, thus reducing energy costs and the possibility of illness.

The air cushion between the twin-skinned door leaves provides excellent thermal and sound insulation, thus reducing heating expenses and improving sound containment.

An additional advantage is that even if one door skin is damaged, the door remains sealed and operative.



Customised Solutions



Each NOVO-PRINT, like all Interdoor doors, is manufactured to the millimetre according to your requirements. Special designs, such as cut outs for crane flaps, can always be accommodated.

Due to the self-supporting door construction, the minimal space requirements as well as the problem-free assembly, the NOVO-PRINT is extraordinarily suitable for renovation tasks.

TZBACH
MADE IN GERMANY




Special Solutions Solutions



The horizontal opening prevents the closing edge from experiencing contact with the floor.

NOVOSPRINT Hygiene was developed especially for the requirements of the food and pharmaceutical industries. In compliance with regulations, all tangible parts are made of nonporous and corrosion-resistant material, such as stainless steel and plastics.

The horizontal opening prevents the closing edge from experiencing contact with the floor, ensuring that dirt particles and splash water do not contaminate through traffic.



INTERDOOR

SPECIALIST INDUSTRIAL DOORS

“One of the UK’s leading names in specialist Industrial & Hangar Doors”

The Interdoor name is known throughout the UK as a company associated with the supply, installation and maintenance of high quality, highly technical industrial and hangar doors.

Our comprehensive range of high efficiency products covers every conceivable application.

Whatever your requirement, you can rely on Interdoor’s unrivaled experience to provide doors to the most stringent specification for every possible environment.

The Complete Solution!

We have maintained our leadership in the market, not simply by supplying the best doors and equipment; but, by offering a complete service package. This includes on-site installation by our highly qualified technical team of field based engineers. Our technicians can handle every aspect of the project from site survey to dismantling redundant equipment before installing the new doors with a minimum amount of disruption.

Service without Compromise

Interdoor offers full back-up and support which includes rapid response for on-site service plus an optional programme of maintenance and service contracts. Our highly trained engineers are on call 24 hours a day, 7 days a week. Our fleet of service vehicles carry a wide range of replacement parts so downtime is kept to an absolute minimum.



Interdoor Limited pursues a policy of continuous improvement to its products and services and reserves the right to alter product specifications and service levels without prior notice.

Whilst Interdoor Limited has taken every care to ensure the accuracy of the information, data or advice contained in this brochure; no liability of any nature in respect of such information or advice given negligently or otherwise is accepted or can be accepted by Interdoor Limited.



315 Ideal Business Park,
National Avenue, Hull,
United Kingdom, HU5 4JB

email. sales@interdoor.uk
tel. +44 (0)1482 247375

www.interdoor.uk